



ETAT DE FRIBOURG
STAAT FREIBURG

Service des constructions et de l'aménagement SeCA
Bau- und Raumplanungsamt BRPA

Rue des Chanoines 17, 1701 Fribourg

T +41 26 305 36 13, F +41 26 305 36 16
www.fr.ch/seca

—

Réf: PDCANT_CATALOGUE

Fribourg, le 18 octobre 2018

Catalogue et modèle de données

Projet	Portail cartographique PDCantM	Société	SeCA
Auteur	Aurèle Cellérier		
Version	3		

Table des matières

Métadonnées PDCANT	3
Modèle de données	3
Modèle de domaines	3
TP_RESEAU_Rules	4
STEP_Rules	5
OCA9110S_PDCANT_NOYAUX_URB	8
OCA9120S_PDCANT_RESIDENCES_SECONDAIRES	9
OCA9121S_PDCANT_POLES_TOURISTIQUES	13
OCA9130P_PDCANT_ISOS	15
OCA9140P_PDCANT_UNESCO_PBC	17
OCA9150S_PDCANT_GAZ_ZONES_BP	19
OCA9151L_PDCANT_GAZ_LIGNES_HPMP	21
OCA9152L_PDCANT_ELECTRICITE_LIGNES_HT	22
OCA9153P_PDCANT_CHAUFFAGE_DISTANCE	24
OCA9154P_PDCANT_ELECTRICITE_TRANSFO_HMT	26
OCA9160S_PDCANT_EOLIEN	27
OCA9170S_PDCANT_GEOthermie_PROJ_FR	29
OCA9171S_PDCANT_GEOSTRUCTURES	31
OCA9180S_PDCANT_MILITAIRE_PERIMETRES	33
OCA9181P_PDCANT_MILITAIRE_INSTALLATIONS	35
OCA9210S_PDCANT_TP_DESSERTE_NIV4	37
OCA9211L_PDCANT_TP_RESEAU	39
OCA9214V_PDCANT_TP_RESEAU	42
OCA9212P_PDCANT_TP_ARRETS	42
OCA9213P_PDCANT_TP_CENTRES	42
OCA9220L_PDCANT_CYCLABLE_UTILITAIRE	48
OCA9221L_PDCANT_CYCLABLE_VTT	49
OCA9222L_PDCANT_CYCLABLE_TOURISTIQUE	51
OCA9230L_PDCANT_ROUTES_CANTONALES	52
OCA9231L_PDCANT_ROUTES_NATIONALES	54
OCA9240S_PDCANT_AVIATION_COMMUNES	55
OCA9241S_PDCANT_AVIATION_BRUIT	58
OCA9242S_PDCANT_AVIATION_OBSTACLES	60
OCA9243P_PDCANT_AVIATION_INFRASTRUCTURES	62

OCA9310S_PDCANT_FORET.....	63
OCA9311S_PDCANT_FORET_PROTECTRICE.....	65
OCA9320S_PDCANT_CORRIDORS_FAUNE.....	67
OCA9330S_PDCANT_SITES_MARECAGEUX.....	68
OCA9331S_PDCANT_PAYSAGES_IFP.....	70
OCA9340S_PDCANT_PARCS_NATURELS.....	72
OCA9410L_PDCANT_RESEAU_HYDROGRAPHIQUE.....	74
OCA9411L_PDCANT_HYDRO_ASSAINISSEMENT_TRONCONS.....	75
OCA9412P_PDCANT_HYDRO_ASSAINISSEMENT_OUVRAGES.....	77
OCA9421L_PDCANT_HYDRO_NATURELS.....	78
OCA9422L_PDCANT_HYDRO_REVITALISATIONS.....	80
OCA9423L_PDCANT_HYDRO_REVITALISES.....	81
OCA9424P_PDCANT_HYDRO_ASSAINISSEMENT_OBSTACLES.....	83
OCA9430S_PDCANT_STEP_PERIMETRES.....	84
OCA9431P_PDCANT_STEP.....	86
OCA9432V_PDCANT_STEP.....	89
OCA9440P_PDCANT_DECHARGES.....	90
OCA9441P_PDCANT_DECHETS_ANIMAUX.....	92
OCA9450S_PDCANT_EXPLOITATION_ROCHES.....	94
OCA9451S_PDCANT_EXPLOITATION_GRAVIERS.....	96
OCA9452P_PDCANT_EXPLOITATION_ACTUELLE.....	98
OCA9510S_PDCANT_PROJETS_PERIMETRES.....	99
OCA9520L_PDCANT_PROJETS_TRACES.....	102
OCA9530P_PDCANT_PROJETS_LOCALISATIONS.....	105
OCA9611S_PDCANT_SDA.....	107
OCA9612S_PDCANT_ZONES_AFFECTATION.....	109
OCA9613S_PDCANT_TU_SECTEURS.....	112
OCA9614S_PDCANT_PROTECTION_NATURE.....	113
OCA9620L_PDCANT_NAVIGATION.....	115
OCA9623L_PDCANT_FERROVIAIRE.....	116
OCA9631S_PDCANT_EAU_S3.....	118
OCA9640P_PDCANT_EAU_S1.....	119
OCA9641P_PDCANT_GOLF.....	120
OCA9642P_PDCANT_AIRES_ACCUEIL.....	122
OCA9643P_PDCANT_GARES_SYNTH.....	123
OCA9644P_PDCANT_HYDROELEC_CENTRALES.....	124
OCA9650S_PDCANT_PROJETS_PERIMETRES_SYNTH.....	126
OCA9651L_PDCANT_PROJETS_TRACES_SYNTH.....	129
OCA9652P_PDCANT_PROJETS_LOCALISATIONS_SYNTH.....	131
OCA9653P_PDCANT_TU_DIRECTIONS.....	133

Métadonnées PDCANT

Modèle de données




Figure 1: Workspace

Domaines Modèle de domaines

Domaines

Version 1.0

celleriera created on 16.03.2017. Last modified 16.03.2017




Figure 2: Domaines

TP_RESEAU_Rules*CodedValueDomain*

Representation rules

DESCRIPTION : Classes de valeurs pour la représentation du réseau de transports publics par catégorie de desserte

TP_ RESEAU_Rules
Version 1.0 Phase
created on 16.03.2017. Last modified 16.03.2017

ATTRIBUTES	
 1er niveau fin flèche droite : Public = 19	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
 1er niveau fin flèche gauche : Public = 17	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
 1er niveau flèche double : Public = 2	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
 2ème niveau fin flèche droite : Public = 20	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
 2ème niveau fin flèche gauche : Public = 5	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
 2ème niveau flèche droite : Public = 16	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
 2ème niveau flèche gauche : Public = 15	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
 2ème niveau sans flèche : Public = 9	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
 3ème niveau flèche droite : Public = 10	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
 Desserte de 1er niveau : Liaisons IC, IR, RX : Public = 3	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
 Desserte de 1er niveau : Projet : Public = 4	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
 Desserte de 2ème niveau : Autres liaisons avec haltes : Public = 8	[Stereotype is «DomainCodedValue». Is static False. Containment is .]

ATTRIBUTES	
 Desserte de 3ème niveau (partiel) : Public = 11 [Stereotype is «DomainCodedValue». Is static False. Containment is .]	
 Desserte de 3ème niveau : Projet : Public = 12 [Stereotype is «DomainCodedValue». Is static False. Containment is .]	
 FieldType : esriFieldType Public = esriFieldTypeInteger [Is static False. Containment is .]	
 Free Representation : Public = -1 [Stereotype is «DomainCodedValue». Is static False. Containment is .]	
 MergePolicy : esriMergePolicyType Public = esriMPTDefaultValue [Is static False. Containment is .]	
 SplitPolicy : esriSplitPolicyType Public = esriSPTDefaultValue [Is static False. Containment is .]	

STEP_Rules

CodedValueDomain

Representation rules

DESCRIPTION : Classes de valeurs pour la représentation des stations d'épuration par catégorie d'importance et de localisation

STEP_Rules
Version 1.0 Phase
created on 16.03.2017. Last modified 16.03.2017

ATTRIBUTES	
 Autigny et/ou Romont, STEP centrale d'importance cantonale : Public = 1 [Stereotype is «DomainCodedValue». Is static False. Containment is .]	
 Avenches VD ou Domdidier, STEP à supprimer à moyen terme : Public = 4 [Stereotype is «DomainCodedValue». Is static False. Containment is .]	
 Avenches VD ou Domdidier, STEP centrale d'importance cantonale : Public = 2 [Stereotype is «DomainCodedValue». Is static False. Containment is .]	
 Avenches VD ou Domdidier, STEP centrale extra-cantonale : Public = 3 [Stereotype is «DomainCodedValue». Is static False. Containment is .]	
 Broc, STEP centrale d'importance cantonale : Public = 5	

ATTRIBUTES	
	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
◆ Ecublens, STEP centrale d'importance cantonale : Public = 6	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
◆ Estavayer-le-Lac, STEP centrale d'importance cantonale : Public = 7	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
◆ FieldType : esriFieldType Public = esriFieldTypeInteger	[Is static False. Containment is .]
◆ Free Representation : Public = -1	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
◆ Fribourg, STEP centrale d'importance cantonale : Public = 8	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
◆ Laupen BE, STEP centrale d'importance cantonale : Public = 9	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
◆ Laupen BE, STEP centrale extra-cantonale : Public = 10	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
◆ Lucens VD, STEP à supprimer à moyen terme : Public = 12	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
◆ Lucens VD, STEP centrale extra-cantonale : Public = 11	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
◆ Marly, STEP centrale d'importance cantonale : Public = 13	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
◆ MergePolicy : esriMergePolicyType Public = esriMPTDefaultValue	[Is static False. Containment is .]
◆ Morat, STEP à supprimer à moyen terme : Public = 15	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
◆ Morat, STEP centrale d'importance cantonale : Public = 14	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
◆ Payerne VD, STEP à supprimer à moyen terme : Public = 17	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
◆ Payerne VD, STEP centrale extra-cantonale : Public = 16	

ATTRIBUTES	
	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
 Pensier, STEP à supprimer à moyen terme : Public = 19	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
 Pensier, STEP centrale d'importance cantonale : Public = 18	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
 SplitPolicy : esriSplitPolicyType Public = esriSPTDefaultValue	[Is static False. Containment is .]
 STEP à supprimer à moyen terme : Public = 26	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
 STEP centrale d'importance cantonale : Public = 24	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
 STEP centrale extra-cantonale : Public = 25	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
 Villars-sur-Glâne, STEP à supprimer à moyen terme : Public = 21	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
 Villars-sur-Glâne, STEP centrale d'importance cantonale : Public = 20	[Stereotype is «DomainCodedValue». Is static False. Containment is .]
 Vuippens, STEP centrale d'importance cantonale : Public = 22	[Stereotype is «DomainCodedValue». Is static False. Containment is .]

OCA9110S_PDCANT_NOYAUX_URB

Polygon

DESCRIPTION : Noyaux d'urbanisation (zone à bâtir continue)

OCA9110S_PDCANT_NOYAUX_URB

Version 1.0 Phase

created on 03.11.2017. Last modified 03.11.2017

Alias Noyaux d'urbanisation

ATTRIBUTES

DATA : esriFieldTypeString Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 50
 ModelName = DATA
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

FDO_OBJECTID : Public

Properties:

Fields = «RequiredField»OBJECTID
 IsAscending = true
 IsUnique = true

[Stereotype is «AttributeIndex». Is static False. Containment is .]

FDO_Shape : Public

Properties:

IsAscending = true
 IsUnique = false

[Stereotype is «SpatialIndex». Is static False. Containment is .]

OBJECTID : esriFieldTypeOID Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = false
 Length = 4
 ModelName = OBJECTID
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

ATTRIBUTES

Shape : esriFieldTypeGeometry Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef = AvgNumPoints=0;
 GeometryType=esriGeometryPolygon;
 GridSize0=2300;

IsNullable = true
 Length = 0
 ModelName = Shape
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

Shape_Area : esriFieldTypeDouble Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = Shape_Area
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

Shape_Length : esriFieldTypeDouble Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = Shape_Length
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

OCA9120S_PDCANT_RESIDENCES_SECONDAIRES

Polygon

DESCRIPTION : Taux de résidences secondaires par commune au 31 mars 2017, basé sur le calcul de l'ARE (données fédérales RegBL et cantonales FriPers)

OCA9120S_PDCANT_RESIDENCES_SECONDAIRES

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Taux de résidences secondaires par commune 2017

ATTRIBUTES

 FDO_OBJECTID : Public

Properties:

Fields = «RequiredField»OBJECTID

IsAscending = true

IsUnique = true

[Stereotype is «AttributeIndex». Is static False. Containment is .]

 FDO_SHAPE : Public

Properties:

IsAscending = true

IsUnique = false

[Stereotype is «SpatialIndex». Is static False. Containment is .]

 FOSNR : esriFieldTypeInteger Public

Properties:

DomainFixed = false

Editable = true

GeometryDef =

IsNullable = true

Length = 4

ModelName =

Precision = 0

RasterDef =

Required = false

Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 NAME : esriFieldTypeString Public

Properties:

DomainFixed = false

Editable = true

GeometryDef =

IsNullable = true

Length = 30

ModelName =

Precision = 0

RasterDef =

Required = false

Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 OBJECTID : esriFieldTypeOID Public

Alias: OBJECTID

Properties:

DomainFixed = false

ATTRIBUTES

Editable = false
 GeometryDef =
 IsNullable = false
 Length = 4
 ModelName = OBJECTID
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 POLE_TOUR : esriFieldTypeSmallInteger Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 2
 ModelName = POLE_TOUR
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 SHAPE : esriFieldTypeGeometry Public

Alias: SHAPE

Properties:

DomainFixed = false
 Editable = true
 GeometryDef = AvgNumPoints=0;
 GeometryType=esriGeometryPolygon;
 GridSize0=9700;

 IsNullable = true
 Length = 0
 ModelName = SHAPE
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 SHAPE_Area : esriFieldTypeDouble Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = SHAPE_Area
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

ATTRIBUTES

 SHAPE_Length : esriFieldTypeDouble Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = SHAPE_Length
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 SUM_NO_RES : esriFieldTypeDouble Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName =
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 SUM_RES_PRINC : esriFieldTypeDouble Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName =
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 SUM_RES_SEC : esriFieldTypeDouble Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName =
 Precision = 0
 RasterDef =
 Required = false

ATTRIBUTES	
Scale = 0	[Stereotype is «Field». Is static False. Containment is .]
 TAUX_RES_SEC : esriFieldTypeDouble Public Properties: - DomainFixed = false - Editable = true - GeometryDef = - IsNullable = true - Length = 8 - ModelName = TAUX_RES_SEC - Precision = 0 - RasterDef = - Required = false - Scale = 0 [Stereotype is «Field». Is static False. Containment is .]	

OCA9121S_PDCANT_POLES_TOURISTIQUES

Polygon

DESCRIPTION : Tissus bâtis des secteurs urbanisés catégorisés comme pôles touristiques cantonaux

OCA9121S_PDCANT_POLES_TOURISTIQUES
Version 1.0 Phase
created on 11.04.2017. Last modified 11.04.2017
Alias Tissus bâtis des pôles touristiques cantonaux

ATTRIBUTES	
 COMMUNES_17 : esriFieldTypeString Public Properties: - DomainFixed = false - Editable = true - GeometryDef = - IsNullable = true - Length = 100 - ModelName = - Precision = 0 - RasterDef = - Required = false - Scale = 0 [Stereotype is «Field». Is static False. Containment is .]	
 FDO_OBJECTID : Public Properties: - Fields = «RequiredField»OBJECTID - IsAscending = true - IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]	

ATTRIBUTES

 FDO_Shape : Public

Properties:

IsAscending = true
IsUnique = false

[Stereotype is «SpatialIndex». Is static False. Containment is .]

 FOSNR_17 : esriFieldTypeSmallInteger Public

Properties:

DomainFixed = false
Editable = true
GeometryDef =
IsNullable = true
Length = 2
ModelName =
Precision = 0
RasterDef =
Required = false
Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 NOM : esriFieldTypeString Public

Properties:

DomainFixed = false
Editable = true
GeometryDef =
IsNullable = true
Length = 100
ModelName =
Precision = 0
RasterDef =
Required = false
Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 OBJECTID : esriFieldTypeOID Public

Alias: OBJECTID

Properties:

DomainFixed = false
Editable = false
GeometryDef =
IsNullable = false
Length = 4
ModelName = OBJECTID
Precision = 0
RasterDef =
Required = true
Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape : esriFieldTypeGeometry Public

Alias: Shape

Properties:

ATTRIBUTES
DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPolygon; GridSize0=4200; IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Area : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Area Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Length : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Length Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]

OCA9130P_PDCANT_ ISOS

Point

DESCRIPTION : Sites patrimoniaux inscrits à l'inventaire ISOS des sites construits d'importance nationale à protéger

OCA9130P_PDCANT_ ISOS
 Version 1.0 Phase
 created on 16.03.2017. Last modified 16.03.2017
 Alias Sites ISOS

ATTRIBUTES

 CATEGORIE : esriFieldTypeString Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 10
 ModelName =
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 FDO_OBJECTID : Public

Properties:

Fields = «RequiredField»OBJECTID
 IsAscending = true
 IsUnique = true

[Stereotype is «AttributeIndex». Is static False. Containment is .]

 FDO_Shape : Public

Properties:

IsAscending = true
 IsUnique = false

[Stereotype is «SpatialIndex». Is static False. Containment is .]

 LIEU : esriFieldTypeString Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 50
 ModelName = LIEU
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 OBJECTID : esriFieldTypeOID Public

Alias: OBJECTID

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = false
 Length = 4
 ModelName = OBJECTID
 Precision = 0

ATTRIBUTES	
RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]	
 Shape : esriFieldTypeGeometry Public Alias: Shape Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPoint; GridSize0=2659.4038157345976; IsNull = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]	
 TYPE : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNull = true Length = 25 ModelName = Precision = 0 RasterDef = Required = false Scale = 0 [Stereotype is «Field». Is static False. Containment is .]	

OCA9140P_PDCANT_UNESCO_PBC

Point

DESCRIPTION : Sites archéologiques inscrits à l'inventaire UNESCO des sites palafittiques préhistoriques autour des Alpes ou à l'inventaire PBC des biens culturels d'importance nationale

OCA9140P_PDCANT_UNESCO_PBC

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Sites archéologiques

ATTRIBUTES	
 CATEGORIE : esriFieldTypeString Public	

ATTRIBUTES

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 50
 ModelName = CATEGORIE
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 DESCRIPTION : esriFieldTypeString Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 150
 ModelName =
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 FDO_OBJECTID : Public

Properties:

Fields = «RequiredField»OBJECTID
 IsAscending = true
 IsUnique = true

[Stereotype is «AttributeIndex». Is static False. Containment is .]

 FDO_Shape : Public

Properties:

IsAscending = true
 IsUnique = false

[Stereotype is «SpatialIndex». Is static False. Containment is .]

 LIEU : esriFieldTypeString Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 50
 ModelName =
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

ATTRIBUTES	
 OBJECTID : esriFieldTypeOID Public	
Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public	
Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPoint; GridSize0=8338.4139427476075; IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]

OCA9150S_PDCANT_GAZ_ZONES_BP

Polygon

DESCRIPTION : Zones de distribution du réseau gazier à basse pression

OCA9150S_PDCANT_GAZ_ZONES_BP
 Version 1.0 Phase
 created on 16.03.2017. Last modified 16.03.2017
 Alias Zones de réseaux gaziers à basse pression

ATTRIBUTES	
 FDO_OBJECTID : Public	
Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true	[Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public	

ATTRIBUTES
Properties: IsAscending = true IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPolygon; GridSize0=9300; IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Area : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Area Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Length : esriFieldTypeDouble Public Properties: DomainFixed = false

ATTRIBUTES
Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Length Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]

OCA9151L_PDCANT_GAZ_LIGNES_HPMP

Polyline

DESCRIPTION : Canaux de circulation du réseau gazier à moyenne et haute pression

OCA9151L_PDCANT_GAZ_LIGNES_HPMP
 Version 1.0 Phase
 created on 16.03.2017. Last modified 16.03.2017
 Alias Réseaux gaziers haute et moyenne pression

ATTRIBUTES
 CATEGORIE : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 50 ModelName = CATEGORIE Precision = 0 RasterDef = Required = false Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: IsAscending = true IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]

ATTRIBUTES	
 OBJECTID : esriFieldTypeOID Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPolyline; GridSize0=8300; IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Length : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Length Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]

OCA9152L_PDCANT_ELECTRICITE_LIGNES_HT

Polyline

DESCRIPTION : Lignes du réseau électrique à haute tension

OCA9152L_PDCANT_ELECTRICITE_LIGNES_HT
Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017
Alias Lignes électriques à haute tension

ATTRIBUTES

 CATEGORIE : esriFieldTypeString Public

Properties:

DomainFixed = false
Editable = true
GeometryDef =
IsNullable = true
Length = 50
ModelName = CATEGORIE
Precision = 0
RasterDef =
Required = false
Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 FDO_OBJECTID : Public

Properties:

Fields = «RequiredField»OBJECTID
IsAscending = true
IsUnique = true

[Stereotype is «AttributeIndex». Is static False. Containment is .]

 FDO_Shape : Public

Properties:

IsAscending = true
IsUnique = false

[Stereotype is «SpatialIndex». Is static False. Containment is .]

 OBJECTID : esriFieldTypeOID Public

Properties:

DomainFixed = false
Editable = false
GeometryDef =
IsNullable = false
Length = 4
ModelName = OBJECTID
Precision = 0
RasterDef =
Required = true
Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape : esriFieldTypeGeometry Public

Properties:

DomainFixed = false
Editable = true
GeometryDef = AvgNumPoints=0;
GeometryType=esriGeometryPolyline;
GridSize0=79000;

ATTRIBUTES	
IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Length : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Length Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]

OCA9153P_PDCANT_CHAUFFAGE_DISTANCE

Point

DESCRIPTION : Installations sources de chauffage à distance

OCA9153P_PDCANT_CHAUFFAGE_DISTANCE
 Version 1.0 Phase
 created on 16.03.2017. Last modified 16.03.2017
 Alias Installations de chauffage à distance

ATTRIBUTES	
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true	[Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: IsAscending = true IsUnique = false	[Stereotype is «SpatialIndex». Is static False. Containment is .]
 NOM : esriFieldTypeString Public	

ATTRIBUTES

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 50
 ModelName =
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 OBJECTID : esriFieldTypeOID Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = false
 Length = 4
 ModelName = OBJECTID
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 PUISSANCE_MW : esriFieldTypeDouble Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName =
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 Shape : esriFieldTypeGeometry Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef = AvgNumPoints=0;
 GeometryType=esriGeometryPoint;
 GridSize0=6721.9680170190213;

 IsNullable = true
 Length = 0
 ModelName = Shape
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

ATTRIBUTES
[Stereotype is «RequiredField». Is static False. Containment is .]

OCA9154P_PDCANT_ELECTRICITE_TRANSFO_HTMT

Point

DESCRIPTION : Postes de transformation électrique haute-moyenne tension

OCA9154P_PDCANT_ELECTRICITE_TRANSFO_HTMT
Version 1.0 Phase
created on 16.03.2017. Last modified 16.03.2017
Alias Postes de transformation électrique haute-moyenne tension

ATTRIBUTES
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: IsAscending = true IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 LIEU : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 50 ModelName = LIEU Precision = 0 RasterDef = Required = false Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID

ATTRIBUTES	
Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPoint; GridSize0=7253.7833533013081; IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]

OCA9160S_PDCANT_EOLIEN

Polygon

DESCRIPTION : Secteurs potentiels pour l'exploitation d'énergie éolienne

OCA9160S_PDCANT_EOLIEN

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Secteurs potentiels pour l'exploitation d'énergie éolienne

ATTRIBUTES	
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true	[Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: IsAscending = true IsUnique = false	[Stereotype is «SpatialIndex». Is static False. Containment is .]
 LIEU : esriFieldTypeString Public	

ATTRIBUTES

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 50
 ModelName = LIEU
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 OBJECTID : esriFieldTypeOID Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = false
 Length = 4
 ModelName = OBJECTID
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape : esriFieldTypeGeometry Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef = AvgNumPoints=0;
 GeometryType=esriGeometryPolygon;
 GridSize0=7000;

 IsNullable = true
 Length = 0
 ModelName = Shape
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape_Area : esriFieldTypeDouble Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = Shape_Area
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

ATTRIBUTES	
[Stereotype is «RequiredField». Is static False. Containment is .]	
 Shape_Length : esriFieldTypeDouble Public	
Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Length Precision = 0 RasterDef = Required = true Scale = 0	
[Stereotype is «RequiredField». Is static False. Containment is .]	

OCA9170S_PDCANT_GEOTHERMIE_PROJ_FR

Polygon

DESCRIPTION : Périmètre de projet de géothermie profonde dans l'agglomération de Fribourg

OCA9170S_PDCANT_GEOTHERMIE_PROJ_FR

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Projet de géothermie profonde dans l'agglomération de Fribourg

ATTRIBUTES	
 ETAT_COORDINATION : esriFieldTypeString Public	
Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 50 ModelName = ETAT_COORDINATION Precision = 0 RasterDef = Required = false Scale = 0	
[Stereotype is «Field». Is static False. Containment is .]	
 FDO_OBJECTID : Public	
Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true	
[Stereotype is «AttributeIndex». Is static False. Containment is .]	
 FDO_Shape : Public	

ATTRIBUTES
Properties: IsAscending = true IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 NOM : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 100 ModelName = NOM Precision = 0 RasterDef = Required = false Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Alias: Shape Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPolygon; GridSize0=5400; IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Area : esriFieldTypeDouble Public

ATTRIBUTES	
Properties: - DomainFixed = false - Editable = false - GeometryDef = - IsNullable = true - Length = 8 - ModelName = Shape_Area - Precision = 0 - RasterDef = - Required = true - Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Length : esriFieldTypeDouble Public Properties: - DomainFixed = false - Editable = false - GeometryDef = - IsNullable = true - Length = 8 - ModelName = Shape_Length - Precision = 0 - RasterDef = - Required = true - Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 TYPE : esriFieldTypeString Public Properties: - DomainFixed = false - Editable = true - GeometryDef = - IsNullable = true - Length = 100 - ModelName = TYPE - Precision = 0 - RasterDef = - Required = false - Scale = 0	[Stereotype is «Field». Is static False. Containment is .]

OCA9171S_PDCANT_GEOSTRUCTURES

Polygon

DESCRIPTION : Zones avec potentiel de géostructures

OCA9171S_PDCANT_GEOSTRUCTURES
Version 1.0 Phase
created on 16.03.2017. Last modified 16.03.2017
Alias Zones avec potentiel de géostructures

ATTRIBUTES

ATTRIBUTES
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: IsAscending = true IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Alias: Shape Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPolygon; GridSize0=3200; IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Area : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8

ATTRIBUTES	
ModelName = Shape_Area Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]	
◆ Shape_Length : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Length Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]	

OCA9180S_PDCANT_MILITAIRE_PERIMETRES

Polygon

DESCRIPTION : Périmètres avec activités militaires

OCA9180S_PDCANT_MILITAIRE_PERIMETRES

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Périmètres militaires

ATTRIBUTES	
◆ FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]	
◆ FDO_Shape : Public Properties: IsAscending = true IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]	
◆ LIEU : esriFieldTypeString Public Properties: DomainFixed = false	

ATTRIBUTES

Editable = true
 GeometryDef =
 IsNullable = true
 Length = 50
 ModelName = LIEU
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

[Stereotype is «Field». Is static False. Containment is Not Specified.]

 OBJECTID : esriFieldTypeOID Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = false
 Length = 4
 ModelName = OBJECTID
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape : esriFieldTypeGeometry Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef = AvgNumPoints=0;
 GeometryType=esriGeometryPolygon;
 GridSize0=4300;

 IsNullable = true
 Length = 0
 ModelName = Shape
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape_Area : esriFieldTypeDouble Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = Shape_Area
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

ATTRIBUTES	
 Shape_Length : esriFieldTypeDouble Public	
Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Length Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 TYPE : esriFieldTypeString Public	
Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 50 ModelName = Precision = 0 RasterDef = Required = false Scale = 0	[Stereotype is «Field». Is static False. Containment is .]

OCA9181P_PDCANT_MILITAIRE_INSTALLATIONS

Point

DESCRIPTION : Installations militaires par type d'activité

OCA9181P_PDCANT_MILITAIRE_INSTALLATIONS

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Installations militaires

ATTRIBUTES	
 FDO_OBJECTID : Public	
Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true	[Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public	
Properties: IsAscending = true	

ATTRIBUTES
IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 LIEU : esriFieldTypeString Public Properties: - DomainFixed = false - Editable = true - GeometryDef = - IsNullable = true - Length = 50 - ModelName = LIEU - Precision = 0 - RasterDef = - Required = false - Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Properties: - DomainFixed = false - Editable = false - GeometryDef = - IsNullable = false - Length = 4 - ModelName = OBJECTID - Precision = 0 - RasterDef = - Required = true - Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Properties: - DomainFixed = false - Editable = true - GeometryDef = AvgNumPoints=0; - GeometryType=esriGeometryPoint; - GridSize0=9473.7947854396643; - IsNullable = true - Length = 0 - ModelName = Shape - Precision = 0 - RasterDef = - Required = true - Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 TYPE : esriFieldTypeString Public Properties: - DomainFixed = false - Editable = true - GeometryDef = - IsNullable = true

ATTRIBUTES
Length = 50 ModelName = Precision = 0 RasterDef = Required = false Scale = 0
[Stereotype is «Field». Is static False. Containment is .]

OCA9210S_PDCANT_TP_DESSERTE_NIV4

Polygon

DESCRIPTION : Extension de la desserte de 4^{ème} niveau

OCA9210S_PDCANT_TP_DESSERTE_NIV4
Version 1.0 Phase
created on 16.03.2017. Last modified 16.03.2017
Alias Desserte en transports publics de niveau 4

ATTRIBUTES
 CATEGORIE : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 50 ModelName = CATEGORIE Precision = 0 RasterDef = Required = false Scale = 0
[Stereotype is «Field». Is static False. Containment is .]
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true
[Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: IsAscending = true IsUnique = false
[Stereotype is «SpatialIndex». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID

ATTRIBUTES

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = false
 Length = 4
 ModelName = OBJECTID
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 **Shape : esriFieldTypeGeometry** Public
 Alias: Shape

Properties:

DomainFixed = false
 Editable = true
 GeometryDef = AvgNumPoints=0;
 GeometryType=esriGeometryPolygon;
 GridSize0=64000;

 IsNullable = true
 Length = 0
 ModelName = Shape
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 **Shape_Area : esriFieldTypeDouble** Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = Shape_Area
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 **Shape_Length : esriFieldTypeDouble** Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = Shape_Length
 Precision = 0
 RasterDef =
 Required = true

ATTRIBUTES

Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

OCA9211L_PDCANT_TP_RESEAU*Polyline***DESCRIPTION** : Réseau de transports publics par catégorie de desserte

OCA9211L_PDCANT_TP_RESEAU

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Réseau de transports publics selon le niveau de desserte

ATTRIBUTES BOUT_LIGNE : esriFieldTypeSmallInteger Public

Properties:

DomainFixed = false

Editable = true

GeometryDef =

IsNullable = true

Length = 2

ModelName = BOUT_LIGNE

Precision = 0

RasterDef =

Required = false

Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 CATEGORIE : esriFieldTypeString Public

Properties:

DomainFixed = false

Editable = true

GeometryDef =

IsNullable = true

Length = 50

ModelName = CATEGORIE

Precision = 0

RasterDef =

Required = false

Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 FDO_OBJECTID : Public

Properties:

Fields = «RequiredField»OBJECTID

IsAscending = true

IsUnique = true

[Stereotype is «AttributeIndex». Is static False. Containment is .]

ATTRIBUTES
 FDO_Shape : Public Properties: - IsAscending = true - IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 NIVEAU : esriFieldTypeSmallInteger Public Properties: - DomainFixed = false - Editable = true - GeometryDef = - IsNullable = true - Length = 2 - ModelName = NIVEAU - Precision = 0 - RasterDef = - Required = false - Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID Properties: - DomainFixed = false - Editable = false - GeometryDef = - IsNullable = false - Length = 4 - ModelName = OBJECTID - Precision = 0 - RasterDef = - Required = true - Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Override : esriFieldTypeBlob Public Properties: - DomainFixed = false - Editable = true - GeometryDef = - IsNullable = true - Length = 0 - ModelName = Override - Precision = 0 - RasterDef = - Required = true - Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 PROJET : esriFieldTypeSmallInteger Public Properties: - DomainFixed = false - Editable = true

ATTRIBUTES

GeometryDef =
 IsNullable = true
 Length = 2
 ModelName = PROJET
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 RuleID : RESEAU_TP_Rules Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 4
 ModelName = RuleID
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 Shape : esriFieldTypeGeometry Public

Alias: Shape

Properties:

DomainFixed = false
 Editable = true
 GeometryDef = AvgNumPoints=0;
 GeometryType=esriGeometryPolyline;
 GridSize0=32000;

IsNullable = true
 Length = 0
 ModelName = Shape
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape_Length : esriFieldTypeDouble Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = Shape_Length
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

ASSOCIATIONS

 RelationshipRule (direction: Unspecified) «RelationshipRule»

Source: Public (Polyline) OCA9211L_PDCANT_RESEAU_TP
«Polyline»

Target: Public (ObjectClass)
OCA9214V_PDCANT_RESEAU_TP
«ObjectClass»

OCA9212P_PDCANT_TP_ARRETS

Point

DESCRIPTION : Haltes du réseau de transports publics ferroviaires

OCA9212P_PDCANT_TP_ARRETS

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Arrêts secondaires du réseau de transports publics

ATTRIBUTES

 CATEGORIE : esriFieldTypeString Public

Properties:

DomainFixed = false
Editable = true
GeometryDef =
IsNullable = true
Length = 50
ModelName = CATEGORIE
Precision = 0
RasterDef =
Required = false
Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 FDO_OBJECTID : Public

Properties:

Fields = «RequiredField»OBJECTID
IsAscending = true
IsUnique = true

[Stereotype is «AttributeIndex». Is static False. Containment is .]

 FDO_SHAPE : Public

Properties:

IsAscending = true
IsUnique = false

[Stereotype is «SpatialIndex». Is static False. Containment is .]

 OBJECTID : esriFieldTypeOID Public
Alias: OBJECTID

ATTRIBUTES	
Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 SHAPE : esriFieldTypeGeometry Public Alias: SHAPE Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPoint; GridSize0=6348.5663990382191; IsNullable = true Length = 0 ModelName = SHAPE Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]

OCA9213P_PDCANT_TP_CENTRES

Point

DESCRIPTION : Centres nodaux du réseau de transports publics par type

OCA9213P_PDCANT_TP_CENTRES

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Arrêts centraux du réseau de transports publics (1er niveau de desserte)

ATTRIBUTES	
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true	[Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties:	

ATTRIBUTES
IsAscending = true IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 LIEU : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 50 ModelName = LIEU Precision = 0 RasterDef = Required = false Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Alias: Shape Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPoint; GridSize0=9277.9116953353969; IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 TYPE : esriFieldTypeString Public Properties: DomainFixed = false

ATTRIBUTES
Editable = true GeometryDef = IsNullable = true Length = 50 ModelName = Precision = 0 RasterDef = Required = false Scale = 0
[Stereotype is «Field». Is static False. Containment is .]

OCA9214V_PDCANT_TP_RESEAU

ObjectClass

DESCRIPTION : Classes de valeurs pour la représentation du réseau de transports publics par catégorie de desserte

OCA9214V_PDCANT_TP_RESEAU
 Version 1.0 Phase
 created on 16.03.2017. Last modified 16.03.2017
 Alias Réseau de transports publics selon le niveau de desserte - Représentation

ATTRIBUTES
 FDO_OID : Public Properties: Fields = «Field»OID IsAscending = true IsUnique = true
[Stereotype is «AttributeIndex». Is static False. Containment is .]
 OID : esriFieldTypeOID Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OID Precision = 0 RasterDef = Required = true Scale = 0
[Stereotype is «Field». Is static False. Containment is .]
 RuleID : esriFieldTypeInteger Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true

ATTRIBUTES	
Length = 4 ModelName = Precision = 0 RasterDef = Required = false Scale = 0	[Stereotype is «Field». Is static False. Containment is .]
 RuleNAME : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 255 ModelName = Precision = 0 RasterDef = Required = false Scale = 0	[Stereotype is «Field». Is static False. Containment is .]

ASSOCIATIONS	
 RelationshipRule (direction: Unspecified) «RelationshipRule» Source: Public (Polyline) OCA9211L_PDCANT_RESEAU_TP «Polyline»	Target: Public (ObjectClass) OCA9214V_PDCANT_RESEAU_TP «ObjectClass»

OCA9215S_PDCANT_TP_AGGLO

Polygone

DESCRIPTION : Lignes urbaines d'agglomération pour le réseau de transports publics

OCA9215S_PDCANT_TP_AGGLO

Version 1.0 Phase

created on 03.04.2019. Last modified 03.04.2019

Alias OCA9215S_PDCANT_TP_AGGLO

ATTRIBUTES	
 CATEGORIE : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 100 ModelName = CATEGORIE Precision = 0 RasterDef = Required = false Scale = 0	

ATTRIBUTES	
[Stereotype is «Field». Is static True. Containment is .]	
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true	[Stereotype is «AttributeIndex». Is static True. Containment is .]
 FDO_Shape : Public Properties: IsAscending = true IsUnique = false	[Stereotype is «SpatialIndex». Is static True. Containment is .]
 OBJECTID : esriFieldTypeOID Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static True. Containment is .]
 Shape : esriFieldTypeGeometry Public Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPolygon; GridSize0=16000; IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static True. Containment is .]
 Shape_Area : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Area Precision = 0 RasterDef = Required = true Scale = 0	

ATTRIBUTES	
[Stereotype is «RequiredField». Is static True. Containment is .]	
 Shape_Length : esriFieldTypeDouble Public	
Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Length Precision = 0 RasterDef = Required = true Scale = 0	
[Stereotype is «RequiredField». Is static True. Containment is .]	

OCA9220L_PDCANT_CYCLABLE_UTILITAIRE

Polyline

DESCRIPTION : Réseau cyclable utilitaire par catégorie d'usage

OCA9220L_PDCANT_CYCLABLE_UTILITAIRE

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Réseau cyclable utilitaire

ATTRIBUTES	
 CATEGORIE : esriFieldTypeString Public	
Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 50 ModelName = CATEGORIE Precision = 0 RasterDef = Required = false Scale = 0	
[Stereotype is «Field». Is static False. Containment is .]	
 FDO_OBJECTID : Public	
Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true	
[Stereotype is «AttributeIndex». Is static False. Containment is .]	
 FDO_Shape : Public	
Properties:	

ATTRIBUTES
IsAscending = true IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPolyline; GridSize0=60000; IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Length : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Length Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]

OCA9221L_PDCANT_CYCLABLE_VTT

Polyline

DESCRIPTION : Réseau cyclable VTT selon itinéraires nationaux SuisseMobile

OCA9221L_PDCANT_CYCLABLE_VTT

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Itinéraire VTT national SuisseMobile

ATTRIBUTES
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_SHAPE : Public Properties: IsAscending = true IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 SHAPE : esriFieldTypeGeometry Public Alias: SHAPE Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPolyline; GridSize0=200000; IsNullable = true Length = 0 ModelName = SHAPE Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]

ATTRIBUTES
 SHAPE_Length : esriFieldTypeDouble Public Properties: - DomainFixed = false - Editable = false - GeometryDef = - IsNullable = true - Length = 8 - ModelName = SHAPE_Length - Precision = 0 - RasterDef = - Required = true - Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]

OCA9222L_PDCANT_CYCLABLE_TOURISTIQUE

Polyline

DESCRIPTION : Réseau cyclotouristique selon itinéraires nationaux et régionaux SuisseMobile

OCA9222L_PDCANT_CYCLABLE_TOURISTIQUE

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Itinéraire cyclotouristique national et régional SuisseMobile

ATTRIBUTES
 FDO_OBJECTID : Public Properties: - Fields = «RequiredField»OBJECTID - IsAscending = true - IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: - IsAscending = true - IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID_1 Properties: - DomainFixed = false - Editable = false - GeometryDef = - IsNullable = false - Length = 4 - ModelName = OBJECTID_1

ATTRIBUTES	
Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Alias: Shape Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPolyline; GridSize0=68000; IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Length : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Length Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]

OCA9230L_PDCANT_ROUTES_CANTONALES

Polyline

DESCRIPTION : Réseau de routes cantonales prioritaires et secondaires

OCA9230L_PDCANT_ROUTES_CANTONALES
 Version 1.0 Phase
 created on 16.03.2017. Last modified 16.03.2017
 Alias Réseau de routes cantonales

ATTRIBUTES	
 CATEGORIE : esriFieldTypeString Public	

ATTRIBUTES
Properties: - DomainFixed = false - Editable = true - GeometryDef = - IsNullable = true - Length = 50 - ModelName = CATEGORIE - Precision = 0 - RasterDef = - Required = false - Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 FDO_OBJECTID : Public Properties: - Fields = «RequiredField»OBJECTID - IsAscending = true - IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: - IsAscending = true - IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID Properties: - DomainFixed = false - Editable = false - GeometryDef = - IsNullable = false - Length = 4 - ModelName = OBJECTID - Precision = 0 - RasterDef = - Required = true - Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Alias: Shape Properties: - DomainFixed = false - Editable = true - GeometryDef = AvgNumPoints=0; - GeometryType=esriGeometryPolyline; - GridSize0=15000; - IsNullable = true - Length = 0 - ModelName = Shape - Precision = 0

ATTRIBUTES	
RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Length : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Length Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]

OCA9231L_PDCANT_ROUTES_NATIONALES

Polyline

DESCRIPTION : Réseau de routes nationales

OCA9231L_PDCANT_ROUTES_NATIONALES
Version 1.0 Phase
created on 16.03.2017. Last modified 16.03.2017
Alias Réseau de routes nationales

ATTRIBUTES	
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true	[Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: IsAscending = true IsUnique = false	[Stereotype is «SpatialIndex». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID Properties: DomainFixed = false Editable = false	

ATTRIBUTES
GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Alias: Shape Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPolyline; GridSize0=53000; IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Length : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Length Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]

OCA9240S_PDCANT_AVIATION_COMMUNES

Polygon

DESCRIPTION : Communes 2017 concernées par la problématique de l'aviation civile (limitation d'obstacles et/ou exposition au bruit)

OCA9240S_PDCANT_AVIATION_COMMUNES
 Version 1.0 Phase
 created on 16.03.2017. Last modified 16.03.2017
 Alias Communes concernées par l'aviation civile

ATTRIBUTES

 CANTON : esriFieldTypeString Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 50
 ModelName = CANTON
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 COMMUNE_2017 : esriFieldTypeString Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 50
 ModelName = COMMUNE_2017
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 FDO_OBJECTID : Public

Properties:

Fields = «RequiredField»OBJECTID
 IsAscending = true
 IsUnique = true

[Stereotype is «AttributeIndex». Is static False. Containment is .]

 FDO_Shape : Public

Properties:

IsAscending = true
 IsUnique = false

[Stereotype is «SpatialIndex». Is static False. Containment is .]

 NO_COMMUNE_2017 : esriFieldTypeSmallInteger Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 2
 ModelName = NO_COMMUNE_2017
 Precision = 0
 RasterDef =
 Required = false

ATTRIBUTES
Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID Properties: - DomainFixed = false - Editable = false - GeometryDef = - IsNullable = false - Length = 4 - ModelName = OBJECTID - Precision = 0 - RasterDef = - Required = true - Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Alias: Shape Properties: - DomainFixed = false - Editable = true - GeometryDef = AvgNumPoints=0; - GeometryType=esriGeometryPolygon; - GridSize0=14000; - IsNullable = true - Length = 0 - ModelName = Shape - Precision = 0 - RasterDef = - Required = true - Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Area : esriFieldTypeDouble Public Properties: - DomainFixed = false - Editable = false - GeometryDef = - IsNullable = true - Length = 8 - ModelName = Shape_Area - Precision = 0 - RasterDef = - Required = true - Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Length : esriFieldTypeDouble Public Properties: - DomainFixed = false - Editable = false

ATTRIBUTES
GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Length Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]

OCA9241S_PDCANT_AVIATION_BRUIT

Polygon

DESCRIPTION : Zones de limitation de développement liée à l'exposition critique au bruit d'activités aéronautiques

OCA9241S_PDCANT_AVIATION_BRUIT
 Version 1.0 Phase
 created on 16.03.2017. Last modified 16.03.2017
 Alias Zones d'exposition au bruit de l'aviation civile

ATTRIBUTES
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: IsAscending = true IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 INFRASTRUCTURE : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 50 ModelName = INFRASTRUCTURE Precision = 0 RasterDef = Required = false Scale = 0 [Stereotype is «Field». Is static False. Containment is .]

ATTRIBUTES

 OBJECTID : esriFieldTypeOID Public
Alias: OBJECTID

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = false
 Length = 4
 ModelName = OBJECTID
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape : esriFieldTypeGeometry Public
Alias: Shape

Properties:

DomainFixed = false
 Editable = true
 GeometryDef = AvgNumPoints=0;
 GeometryType=esriGeometryPolygon;
 GridSize0=9200;

IsNullable = true
 Length = 0
 ModelName = Shape
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape_Area : esriFieldTypeDouble Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = Shape_Area
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape_Length : esriFieldTypeDouble Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = Shape_Length

ATTRIBUTES
Precision = 0 RasterDef = Required = true Scale = 0
[Stereotype is «RequiredField». Is static False. Containment is .]

OCA9242S_PDCANT_AVIATION_OBSTACLES

Polygon

DESCRIPTION : Périmètre avec limitation d'obstacles lié à des activités aéronautiques

OCA9242S_PDCANT_AVIATION_OBSTACLES

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Périmètres avec limitation d'obstacles pour l'aviation civile

ATTRIBUTES
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true
[Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_SHAPE : Public Properties: IsAscending = true IsUnique = false
[Stereotype is «SpatialIndex». Is static False. Containment is .]
 INFRASTRUCTURE : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 50 ModelName = INFRASTRUCTURE Precision = 0 RasterDef = Required = false Scale = 0
[Stereotype is «Field». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID Properties: DomainFixed = false

ATTRIBUTES

Editable = false
 GeometryDef =
 IsNullable = false
 Length = 4
 ModelName = OBJECTID
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 **SHAPE : esriFieldTypeGeometry Public**
 Alias: SHAPE

Properties:

DomainFixed = false
 Editable = true
 GeometryDef = AvgNumPoints=0;
 GeometryType=esriGeometryPolygon;
 GridSize0=25000;

IsNullable = true
 Length = 0
 ModelName = SHAPE
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 **SHAPE_Area : esriFieldTypeDouble Public**

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = SHAPE_Area
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 **SHAPE_Length : esriFieldTypeDouble Public**

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = SHAPE_Length
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

ATTRIBUTES

OCA9243P_PDCANT_AVIATION_INFRASTRUCTURES

Point

DESCRIPTION : Infrastructures aéronautiques par catégorie d'utilisation

OCA9243P_PDCANT_AVIATION_INFRASTRUCTURES

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Infrastructures aéronautiques

ATTRIBUTES

 FDO_OBJECTID : Public

Properties:

Fields = «RequiredField»OBJECTID

IsAscending = true

IsUnique = true

[Stereotype is «AttributeIndex». Is static False. Containment is .]

 FDO_Shape : Public

Properties:

IsAscending = true

IsUnique = false

[Stereotype is «SpatialIndex». Is static False. Containment is .]

 OBJECTID : esriFieldTypeOID Public

Alias: OBJECTID

Properties:

DomainFixed = false

Editable = false

GeometryDef =

IsNullable = false

Length = 4

ModelName = OBJECTID

Precision = 0

RasterDef =

Required = true

Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape : esriFieldTypeGeometry Public

Alias: Shape

Properties:

DomainFixed = false

Editable = true

GeometryDef = AvgNumPoints=0;

GeometryType=esriGeometryPoint;

GridSize0=14106.494608160607;

ATTRIBUTES	
IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 TYPE : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 50 ModelName = Precision = 0 RasterDef = Required = false Scale = 0	[Stereotype is «Field». Is static False. Containment is .]

OCA9310S_PDCANT_FORET

Polygon

DESCRIPTION : Espace forestier

OCA9310S_PDCANT_FORET
 Version 1.0 Phase
 created on 16.03.2017. Last modified 16.03.2017
 Alias Espace forestier

ATTRIBUTES	
 FDO_OBJECTID_1 : Public Properties: Fields = «Field»OBJECTID_1 IsAscending = true IsUnique = true	[Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: IsAscending = true IsUnique = false	[Stereotype is «SpatialIndex». Is static False. Containment is .]
 OBJECTID_1 : esriFieldTypeOID Public	

ATTRIBUTES

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = false
 Length = 4
 ModelName = OBJECTID_1
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 Shape : esriFieldTypeGeometry Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef = AvgNumPoints=0;
 GeometryType=esriGeometryPolygon;
 GridSize0=9300;

 IsNullable = true
 Length = 0
 ModelName = Shape
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape_Area : esriFieldTypeDouble Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = Shape_Area
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape_Length : esriFieldTypeDouble Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = Shape_Length
 Precision = 0
 RasterDef =
 Required = true

ATTRIBUTES

Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

OCA9311S_PDCANT_FORET_PROTECTRICE*Polygon***DESCRIPTION** : Forêt de protection par catégorie de dangers

OCA9311S_PDCANT_FORET_PROTECTRICE

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Forêt de protection

ATTRIBUTES
 **CATEGORIE_PROTECTION** : esriFieldTypeString Public

Properties:

DomainFixed = false

Editable = true

GeometryDef =

IsNullable = true

Length = 50

ModelName = CATEGORIE_PROTECTION

Precision = 0

RasterDef =

Required = false

Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 **FDO_OBJECTID** : Public

Properties:

Fields = «RequiredField»OBJECTID

IsAscending = true

IsUnique = true

[Stereotype is «AttributeIndex». Is static False. Containment is .]

 **FDO_Shape** : Public

Properties:

IsAscending = true

IsUnique = false

[Stereotype is «SpatialIndex». Is static False. Containment is .]

 **OBJECTID** : esriFieldTypeOID Public

Alias: OBJECTID

Properties:

DomainFixed = false

Editable = false

GeometryDef =

IsNullable = false

ATTRIBUTES
Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Alias: Shape Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPolygon; GridSize0=1700; IsNull = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Area : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNull = true Length = 8 ModelName = Shape_Area Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Length : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNull = true Length = 8 ModelName = Shape_Length Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]

OCA9320S_PDCANT_CORRIDORS_FAUNE

Polygon «Polygon» in package 'Workspace'

OCA9320S_PDCANT_CORRIDORS_FAUNE
Version 1.0 Phase
created on 03.11.2017. Last modified 03.11.2017
Alias Corridors à faune hiérarchisés

ATTRIBUTES

 CATEGORIE : esriFieldTypeString Public
Alias: CATEGORIE

Properties:

DomainFixed = false
Editable = true
GeometryDef =
IsNullable = true
Length = 20
ModelName = CATEGORIE
Precision = 0
RasterDef =
Required = false
Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 FDO_OBJECTID : Public

Properties:

Fields = «RequiredField»OBJECTID
IsAscending = true
IsUnique = true

[Stereotype is «AttributeIndex». Is static False. Containment is .]

 FDO_Shape : Public

Properties:

IsAscending = true
IsUnique = false

[Stereotype is «SpatialIndex». Is static False. Containment is .]

 OBJECTID : esriFieldTypeOID Public
Alias: OBJECTID

Properties:

DomainFixed = false
Editable = false
GeometryDef =
IsNullable = false
Length = 4
ModelName = OBJECTID
Precision = 0
RasterDef =
Required = true
Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

ATTRIBUTES

 Shape : esriFieldTypeGeometry Public
Alias: Shape

Properties:

DomainFixed = false
Editable = true
GeometryDef = AvgNumPoints=0;
GeometryType=esriGeometryPolygon;
GridSize0=4200;

IsNullable = true
Length = 0
ModelName = Shape
Precision = 0
RasterDef =
Required = true
Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape_Area : esriFieldTypeDouble Public

Properties:

DomainFixed = false
Editable = false
GeometryDef =
IsNullable = true
Length = 8
ModelName = Shape_Area
Precision = 0
RasterDef =
Required = true
Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape_Length : esriFieldTypeDouble Public

Properties:

DomainFixed = false
Editable = false
GeometryDef =
IsNullable = true
Length = 8
ModelName = Shape_Length
Precision = 0
RasterDef =
Required = true
Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

OCA9330S_PDCANT_SITES_MARECAGEUX*Polygon*

DESCRIPTION : Secteurs inscrits à l'inventaire fédéral des sites marécageux d'une beauté particulière et d'importance nationale (IFP)

OCA9330S_PDCANT_SITES_MARECAGEUX

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Secteurs inscrits à l'inventaire fédéral des sites marécageux

ATTRIBUTES
 **FDO_OBJECTID : Public**

Properties:

Fields = «RequiredField»OBJECTID

IsAscending = true

IsUnique = true

[Stereotype is «AttributeIndex». Is static False. Containment is .]

 **FDO_Shape : Public**

Properties:

IsAscending = true

IsUnique = false

[Stereotype is «SpatialIndex». Is static False. Containment is .]

 **NOM : esriFieldTypeString Public**

Properties:

DomainFixed = false

Editable = true

GeometryDef =

IsNullable = true

Length = 50

ModelName =

Precision = 0

RasterDef =

Required = false

Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 **OBJECTID : esriFieldTypeOID Public**

Alias: OBJECTID

Properties:

DomainFixed = false

Editable = false

GeometryDef =

IsNullable = false

Length = 4

ModelName = OBJECTID

Precision = 0

RasterDef =

Required = true

Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 **Shape : esriFieldTypeGeometry Public**

Alias: Shape

Properties:

DomainFixed = false

Editable = true

ATTRIBUTES
GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPolygon; GridSize0=9600; IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Area : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Area Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Length : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Length Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]

OCA9331S_PDCANT_PAYSAGES_IFP

Polygon

DESCRIPTION : Secteurs inscrits à l'inventaire fédéral des paysages, sites et monuments naturels d'importance nationale (IFP)

OCA9331S_PDCANT_PAYSAGES_IFP

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Secteurs inscrits à l'inventaire fédéral des paysages IFP

ATTRIBUTES

ATTRIBUTES
 FDO_OBJECTID : Public Properties: - Fields = «RequiredField»OBJECTID - IsAscending = true - IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: - IsAscending = true - IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 NOM : esriFieldTypeString Public Properties: - DomainFixed = false - Editable = true - GeometryDef = - IsNullable = true - Length = 100 - ModelName = NOM - Precision = 0 - RasterDef = - Required = false - Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID Properties: - DomainFixed = false - Editable = false - GeometryDef = - IsNullable = false - Length = 4 - ModelName = OBJECTID - Precision = 0 - RasterDef = - Required = true - Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Alias: Shape Properties: - DomainFixed = false - Editable = true - GeometryDef = AvgNumPoints=0; - GeometryType=esriGeometryPolygon; - GridSize0=20000; - IsNullable = true

ATTRIBUTES	
Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Area : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Area Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Length : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Length Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]

OCA9340S_PDCANT_PARCS_NATURELS

Polygon

DESCRIPTION : Périmètres des parcs naturels d'importance nationale

OCA9340S_PDCANT_PARCS_NATURELS
Version 1.0 Phase
created on 16.03.2017. Last modified 16.03.2017
Alias Parcs naturels d'importance nationale

ATTRIBUTES	
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true	

ATTRIBUTES	
IsUnique = true	[Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: IsAscending = true IsUnique = false	[Stereotype is «SpatialIndex». Is static False. Containment is .]
 NOM : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 50 ModelName = NOM Precision = 0 RasterDef = Required = false Scale = 0	[Stereotype is «Field». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Alias: Shape Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPolygon; GridSize0=38000; IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0	

ATTRIBUTES	
[Stereotype is «RequiredField». Is static False. Containment is .]	
 Shape_Area : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Area Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Length : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Length Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]

OCA9410L_PDCANT_RESEAU_HYDROGRAPHIQUE

Poyline

DESCRIPTION : Réseau hydrographique

OCA9410L_PDCANT_RESEAU_HYDROGRAPHIQUE

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Réseau hydrographique

ATTRIBUTES	
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true	[Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public	

ATTRIBUTES

Properties:

IsAscending = true

IsUnique = false

[Stereotype is «SpatialIndex». Is static False. Containment is .]

 OBJECTID : esriFieldTypeOID Public

Properties:

DomainFixed = false

Editable = false

GeometryDef =

IsNullable = false

Length = 4

ModelName = OBJECTID

Precision = 0

RasterDef =

Required = true

Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape : esriFieldTypeGeometry Public

Properties:

DomainFixed = false

Editable = true

GeometryDef = AvgNumPoints=0;

GeometryType=esriGeometryPolyline;

GridSize0=3600;

IsNullable = true

Length = 0

ModelName = Shape

Precision = 0

RasterDef =

Required = true

Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape_Length : esriFieldTypeDouble Public

Properties:

DomainFixed = false

Editable = false

GeometryDef =

IsNullable = true

Length = 8

ModelName = Shape_Length

Precision = 0

RasterDef =

Required = true

Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

*Polyline***DESCRIPTION** : Tronçons à assainir par type d'assainissement visé

OCA9411L_PDCANT_HYDRO_ASSAINISSEMENT_TRONCONS

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Tronçons à assainir

ATTRIBUTES
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: IsAscending = true IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPolyline; GridSize0=13000; IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]

ATTRIBUTES	
 Shape_Length : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Length Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 TYPE : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 100 ModelName = TYPE Precision = 0 RasterDef = Required = false Scale = 0	[Stereotype is «Field». Is static False. Containment is .]

OCA9412P_PDCANT_HYDRO_ASSAINISSEMENT_OUVRAGES

Point

DESCRIPTION : Ouvrages à assainir par type d'assainissement visé

OCA9412P_PDCANT_HYDRO_ASSAINISSEMENT_OUVRAGES

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Ouvrages à assainir

ATTRIBUTES	
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true	[Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: IsAscending = true	

ATTRIBUTES	
IsUnique = false	[Stereotype is «SpatialIndex». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPoint; GridSize0=6222.3237007958014; IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 TYPE : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 100 ModelName = Precision = 0 RasterDef = Required = false Scale = 0	[Stereotype is «Field». Is static False. Containment is .]

OCA9421L_PDCANT_HYDRO_NATURELS

Polyline

DESCRIPTION : Tronçons de cours d'eau naturels en dessous de 1'200 mètres d'altitude

OCA9421L_PDCANT_HYDRO_NATURELS

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Tronçons naturels en dessous de 1'200 mètres d'altitude

ATTRIBUTES
 FDO_OBJECTID_1 : Public

Properties:

Fields = «Field»OBJECTID_1

IsAscending = true

IsUnique = true

[Stereotype is «AttributeIndex». Is static False. Containment is .]

 FDO_Shape : Public

Properties:

IsAscending = true

IsUnique = false

[Stereotype is «SpatialIndex». Is static False. Containment is .]

 OBJECTID_1 : esriFieldTypeOID Public

Properties:

DomainFixed = false

Editable = false

GeometryDef =

IsNullable = false

Length = 4

ModelName = OBJECTID_1

Precision = 0

RasterDef =

Required = true

Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 Shape : esriFieldTypeGeometry Public

Properties:

DomainFixed = false

Editable = true

GeometryDef = AvgNumPoints=0;

GeometryType=esriGeometryPolyline;

GridSize0=830;

IsNullable = true

Length = 0

ModelName = Shape

Precision = 0

RasterDef =

Required = true

Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape_Length : esriFieldTypeDouble Public

ATTRIBUTES

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = Shape_Length
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

OCA9422L_PDCANT_HYDRO_REVITALISATIONS

Polyline

DESCRIPTION : Tronçons de cours d'eau à revitalisation prioritaire pour le régime de charriage hors-force hydraulique et la migration piscicole

OCA9422L_PDCANT_HYDRO_REVITALISATIONS

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Tronçons à revitalisation prioritaire (charriage hors force hydraulique et migration piscicole)

ATTRIBUTES

 FDO_OBJECTID_1 : Public

Properties:

Fields = «Field»OBJECTID_1
 IsAscending = true
 IsUnique = true

[Stereotype is «AttributeIndex». Is static False. Containment is .]

 FDO_Shape : Public

Properties:

IsAscending = true
 IsUnique = false

[Stereotype is «SpatialIndex». Is static False. Containment is .]

 OBJECTID_1 : esriFieldTypeOID Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = false
 Length = 4
 ModelName = OBJECTID_1
 Precision = 0
 RasterDef =
 Required = true

ATTRIBUTES	
Scale = 0	[Stereotype is «Field». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPolyline; GridSize0=800; IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Length : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Length Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 TYPE : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 100 ModelName = TYPE Precision = 0 RasterDef = Required = false Scale = 0	[Stereotype is «Field». Is static False. Containment is .]

OCA9423L_PDCANT_HYDRO_REVITALISES

Polyline

DESCRIPTION : Tronçons de cours d'eau revitalisés

OCA9423L_PDCANT_HYDRO_REVITALISES

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Tronçons revitalisés

ATTRIBUTES
 FDO_OBJECTID : Public

Properties:

Fields = «RequiredField»OBJECTID

IsAscending = true

IsUnique = true

[Stereotype is «AttributeIndex». Is static False. Containment is .]

 FDO_Shape : Public

Properties:

IsAscending = true

IsUnique = false

[Stereotype is «SpatialIndex». Is static False. Containment is .]

 OBJECTID : esriFieldTypeOID Public

Properties:

DomainFixed = false

Editable = false

GeometryDef =

IsNullable = false

Length = 4

ModelName = OBJECTID

Precision = 0

RasterDef =

Required = true

Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape : esriFieldTypeGeometry Public

Properties:

DomainFixed = false

Editable = true

GeometryDef = AvgNumPoints=0;

GeometryType=esriGeometryPolyline;

GridSize0=4400;

IsNullable = true

Length = 0

ModelName = Shape

Precision = 0

RasterDef =

Required = true

Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape_Length : esriFieldTypeDouble Public

ATTRIBUTES
Properties: - DomainFixed = false - Editable = false - GeometryDef = - IsNullable = true - Length = 8 - ModelName = Shape_Length - Precision = 0 - RasterDef = - Required = true - Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]

OCA9424P_PDCANT_HYDRO_ASSAINISSEMENT_OBSTACLES

Point

DESCRIPTION : Obstacles à assainissement prioritaire du régime de charriage non-lié à la force hydraulique

OCA9424P_PDCANT_HYDRO_ASSAINISSEMENT_OBSTACLES

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Obstacles à assainissement prioritaire (charriage hors force hydraulique)

ATTRIBUTES
 FDO_OBJECTID : Public Properties: - Fields = «RequiredField»OBJECTID - IsAscending = true - IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: - IsAscending = true - IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Properties: - DomainFixed = false - Editable = false - GeometryDef = - IsNullable = false - Length = 4 - ModelName = OBJECTID_1 - Precision = 0 - RasterDef = - Required = true

ATTRIBUTES	
Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPoint; GridSize0=4762.1038209653962; IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]	
 TYPE : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 100 ModelName = TYPE Precision = 0 RasterDef = Required = false Scale = 0 [Stereotype is «Field». Is static False. Containment is .]	

OCA9430S_PDCANT_STEP_PERIMETRES

Polygon

DESCRIPTION : Délimitation des périmètres de collecte des eaux usées par STEP

OCA9430S_PDCANT_STEP_PERIMETRES
 Version 1.0 Phase
 created on 16.03.2017. Last modified 16.03.2017
 Alias Périmètres de collecte des eaux usées

ATTRIBUTES	
 FDO_OBJECTID_1 : Public Properties: Fields = «Field»OBJECTID_1 IsAscending = true IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]	

ATTRIBUTES
 FDO_Shape : Public Properties: - IsAscending = true - IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 NOM : esriFieldTypeString Public Alias: NOM Properties: - DomainFixed = false - Editable = true - GeometryDef = - IsNullable = true - Length = 50 - ModelName = NOM - Precision = 0 - RasterDef = - Required = false - Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 OBJECTID_1 : esriFieldTypeOID Public Properties: - DomainFixed = false - Editable = false - GeometryDef = - IsNullable = false - Length = 4 - ModelName = OBJECTID_1 - Precision = 0 - RasterDef = - Required = true - Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Properties: - DomainFixed = false - Editable = true - GeometryDef = AvgNumPoints=0; - GeometryType=esriGeometryPolygon; - GridSize0=34000; - IsNullable = true - Length = 0 - ModelName = Shape - Precision = 0 - RasterDef = - Required = true - Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]

ATTRIBUTES	
 Shape_Area : esriFieldTypeDouble Public	
Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Area Precision = 0 RasterDef = Required = true Scale = 0	
	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Length : esriFieldTypeDouble Public	
Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Length Precision = 0 RasterDef = Required = true Scale = 0	
	[Stereotype is «RequiredField». Is static False. Containment is .]

OCA9431P_PDCANT_STEP

Point

DESCRIPTION : Stations d'épuration par catégorie d'importance et de localisation

OCA9431P_PDCANT_STEP
 Version 1.0 Phase
 created on 16.03.2017. Last modified 16.03.2017
 Alias Stations d'épuration

ATTRIBUTES	
 CANTON : esriFieldTypeString Public	
Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 50 ModelName = Precision = 0 RasterDef = Required = false Scale = 0	
	[Stereotype is «Field». Is static False. Containment is .]

ATTRIBUTES
 CATEGORIE : esriFieldTypeString Public Properties: - DomainFixed = false - Editable = true - GeometryDef = - IsNullable = true - Length = 50 - ModelName = - Precision = 0 - RasterDef = - Required = false - Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 FDO_OBJECTID : Public Properties: - Fields = «RequiredField»OBJECTID - IsAscending = true - IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: - IsAscending = true - IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 LIEU : esriFieldTypeString Public Properties: - DomainFixed = false - Editable = true - GeometryDef = - IsNullable = true - Length = 50 - ModelName = LIEU - Precision = 0 - RasterDef = - Required = false - Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Properties: - DomainFixed = false - Editable = false - GeometryDef = - IsNullable = false - Length = 4 - ModelName = OBJECTID - Precision = 0 - RasterDef =

ATTRIBUTES
Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Override : esriFieldTypeBlob Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 0 ModelName = Override Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 PERIMETRE_COLLECTE : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 50 ModelName = PERIMETRE_COLLECTE Precision = 0 RasterDef = Required = false Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 RuleID : STEP_Rules Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 4 ModelName = RuleID Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPoint; GridSize=7110.0684867837454;

ATTRIBUTES	
IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
ASSOCIATIONS	
 RelationshipRule (direction: Unspecified) «RelationshipRule»	
Source: Public (ObjectClass) OCA9432V_PDCANT_STEP «ObjectClass»	Target: Public (Point) OCA9431P_PDCANT_STEP «Point»

OCA9432V_PDCANT_STEP

ObjectClass

DESCRIPTION : Classes de valeurs pour la représentation des stations d'épuration par catégorie d'importance et de localisation

OCA9432V_PDCANT_STEP
 Version 1.0 Phase
 created on 16.03.2017. Last modified 16.03.2017
 Alias Stations d'épuration - Représentation

ATTRIBUTES	
 FDO_OID : Public Properties: Fields = «Field»OID IsAscending = true IsUnique = true	[Stereotype is «AttributeIndex». Is static False. Containment is .]
 OID : esriFieldTypeOID Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OID Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «Field». Is static False. Containment is .]
 RuleID : esriFieldTypeInteger Public	

ATTRIBUTES	
Properties: - DomainFixed = false - Editable = true - GeometryDef = - IsNullable = true - Length = 4 - ModelName = - Precision = 0 - RasterDef = - Required = false - Scale = 0 [Stereotype is «Field». Is static False. Containment is .]	
 RuleNAME : esriFieldTypeString Public Properties: - DomainFixed = false - Editable = true - GeometryDef = - IsNullable = true - Length = 255 - ModelName = - Precision = 0 - RasterDef = - Required = false - Scale = 0 [Stereotype is «Field». Is static False. Containment is .]	
ASSOCIATIONS	
 RelationshipRule (direction: Unspecified) «RelationshipRule» Source: Public (ObjectClass) OCA9432V_PDCANT_STEP «ObjectClass» Target: Public (Point) OCA9431P_PDCANT_STEP «Point»	

OCA9440P_PDCANT_DECHARGES

Point

DESCRIPTION : Décharges par type et catégorie de planification

OCA9440P_PDCANT_DECHARGES

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Décharges

ATTRIBUTES
 ETAT : esriFieldTypeString Public Properties: - DomainFixed = false - Editable = true - GeometryDef =

ATTRIBUTES
IsNullable = true Length = 50 ModelName = Precision = 0 RasterDef = Required = false Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: IsAscending = true IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 NOM : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 255 ModelName = Precision = 0 RasterDef = Required = false Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 PROJET_EXT : esriFieldTypeString Public Properties:

ATTRIBUTES
DomainFixed = false Editable = true GeometryDef = Nullable = true Length = 50 ModelName = Projets_ext Precision = 0 RasterDef = Required = false Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPoint; GridSize=8119.4397309907536; Nullable = false Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 TYPE : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = Nullable = true Length = 5 ModelName = Precision = 0 RasterDef = Required = false Scale = 0 [Stereotype is «Field». Is static False. Containment is .]

OCA9441P_PDCANT_DECHETS_ANIMAUX

Point

DESCRIPTION : Centres collecteurs pour déchets animaux

OCA9441P_PDCANT_DECHETS_ANIMAUX
Version 1.0 Phase
created on 03.11.2017. Last modified 03.11.2017
Alias Centres collecteurs de déchets animaux

ATTRIBUTES

 CANTON : esriFieldTypeString Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 10
 ModelName = CANTON
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 FDO_OBJECTID : Public

Properties:

Fields = «RequiredField»OBJECTID
 IsAscending = true
 IsUnique = true

[Stereotype is «AttributeIndex». Is static False. Containment is .]

 FDO_SHAPE : Public

Properties:

IsAscending = true
 IsUnique = false

[Stereotype is «SpatialIndex». Is static False. Containment is .]

 OBJECTID : esriFieldTypeOID Public

Alias: OBJECTID

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = false
 Length = 4
 ModelName = OBJECTID
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 SHAPE : esriFieldTypeGeometry Public

Alias: SHAPE

Properties:

DomainFixed = false
 Editable = true
 GeometryDef = AvgNumPoints=0;
 GeometryType=esriGeometryPoint;
 GridSize0=12254.484695262876;

IsNullable = true

ATTRIBUTES
Length = 0 ModelName = SHAPE Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]

OCA9450S_PDCANT_EXPLOITATION_ROCHES

Polygon

DESCRIPTION : Secteurs avec potentiel d'exploitation de roche

OCA9450S_PDCANT_EXPLOITATION_ROCHES

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Secteurs potentiels pour l'exploitation de roches

ATTRIBUTES
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: IsAscending = true IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Properties:

ATTRIBUTES

DomainFixed = false
 Editable = true
 GeometryDef = AvgNumPoints=0;
 GeometryType=esriGeometryPolygon;
 GridSize0=12000;

IsNullable = true
 Length = 0
 ModelName = Shape
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape_Area : esriFieldTypeDouble Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = Shape_Area
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape_Length : esriFieldTypeDouble Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = Shape_Length
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 TYPE : esriFieldTypeString Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 50
 ModelName = TYPE
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

ATTRIBUTES

OCA9451S_PDCANT_EXPLOITATION_GRAVIERS

*Polygon***DESCRIPTION :** Secteurs avec potentiel d'exploitation de graviers par catégorie de priorité

OCA9451S_PDCANT_EXPLOITATION_GRAVIERS

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Secteurs potentiels pour l'exploitation de graviers

ATTRIBUTES

 CATEGORIE : esriFieldTypeString Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 50
 ModelName = CATEGORIE
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 FDO_OBJECTID : Public

Properties:

Fields = «RequiredField»OBJECTID
 IsAscending = true
 IsUnique = true

[Stereotype is «AttributeIndex». Is static False. Containment is .]

 FDO_Shape : Public

Properties:

IsAscending = true
 IsUnique = false

[Stereotype is «SpatialIndex». Is static False. Containment is .]

 OBJECTID : esriFieldTypeOID Public
 Alias: OBJECTID

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = false
 Length = 4
 ModelName = OBJECTID

ATTRIBUTES

Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

◆ Shape : esriFieldTypeGeometry Public
 Alias: Shape

Properties:

DomainFixed = false
 Editable = true
 GeometryDef = AvgNumPoints=0;
 GeometryType=esriGeometryPolygon;
 GridSize0=910;

IsNullable = true
 Length = 0
 ModelName = Shape
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

◆ Shape_Area : esriFieldTypeDouble Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = Shape_Area
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

◆ Shape_Length : esriFieldTypeDouble Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = Shape_Length
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

OCA9452P_PDCANT_EXPLOITATION_ACTUELLE

Point

DESCRIPTION : Sites d'exploitation de matériaux en cours

OCA9452P_PDCANT_EXPLOITATION_ACTUELLE

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Sites avec exploitation de matériaux en cours

ATTRIBUTES
 FDO_OBJECTID : Public Properties: - Fields = «RequiredField»OBJECTID - IsAscending = true - IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_SHAPE : Public Properties: - IsAscending = true - IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 LIEU : esriFieldTypeString Public Properties: - DomainFixed = false - Editable = true - GeometryDef = - IsNullable = true - Length = 50 - ModelName = LIEU - Precision = 0 - RasterDef = - Required = false - Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID Properties: - DomainFixed = true - Editable = false - GeometryDef = - IsNullable = false - Length = 4 - ModelName = OBJECTID - Precision = 0 - RasterDef = - Required = true - Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]

ATTRIBUTES

 **SHAPE** : esriFieldTypeGeometry Public
Alias: SHAPE

Properties:

DomainFixed = true
 Editable = true
 GeometryDef = AvgNumPoints=0;
 GeometryType=esriGeometryPoint;
 GridSize0=4277.848444956564;

IsNullable = true
 Length = 0
 ModelName = SHAPE
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

OCA9510S_PDCANT_PROJETS_PERIMETRES

Polygon

DESCRIPTION : Périmètres des projets inscrits au Plan directeur cantonal par type, dénomination et état de coordination

OCA9510S_PDCANT_PROJETS_PERIMETRES
 Version 1.0 Phase
 created on 16.03.2017. Last modified 16.03.2017
 Alias Périmètres de projets

ATTRIBUTES

 **CARTE_SYNT** : esriFieldTypeSmallInteger Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 2
 ModelName = CARTE_SYNT
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 **ETAT_COORDINATION** : esriFieldTypeString Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true

ATTRIBUTES
Length = 50 ModelName = ETAT_COORDINATION Precision = 0 RasterDef = Required = false Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: IsAscending = true IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 NOM : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 100 ModelName = NOM Precision = 0 RasterDef = Required = false Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Alias: Shape

ATTRIBUTES

Properties:

DomainFixed = false
 Editable = true
 GeometryDef = AvgNumPoints=0;
 GeometryType=esriGeometryPolygon;
 GridSize0=5400;

IsNullable = true
 Length = 0
 ModelName = Shape
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape_Area : esriFieldTypeDouble Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = Shape_Area
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape_Length : esriFieldTypeDouble Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = Shape_Length
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 TYPE : esriFieldTypeString Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 100
 ModelName = TYPE
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

ATTRIBUTES	
[Stereotype is «Field». Is static False. Containment is .]	
 URL : esriFieldTypeString Public	
Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 100 ModelName = Precision = 0 RasterDef = Required = false Scale = 0	
[Stereotype is «Field». Is static False. Containment is .]	

OCA9520L_PDCANT_PROJETS_TRACES

Polyline

DESCRIPTION : Tracés des projets inscrits au Plan directeur cantonal par type, dénomination et état de coordination

OCA9520L_PDCANT_PROJETS_TRACES
 Version 1.0 Phase
 created on 16.03.2017. Last modified 16.03.2017
 Alias Tracés de projets

ATTRIBUTES	
 CARTE_SYNTH : esriFieldTypeSmallInteger Public	
Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 2 ModelName = CARTE_SYNTH Precision = 0 RasterDef = Required = false Scale = 0	
[Stereotype is «Field». Is static False. Containment is .]	
 ETAT_COORDINATION : esriFieldTypeString Public	
Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 100 ModelName = ETAT_COORDINATION	

ATTRIBUTES
Precision = 0 RasterDef = Required = false Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_SHAPE : Public Properties: IsAscending = true IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 NOM : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 100 ModelName = NOM Precision = 0 RasterDef = Required = false Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 SHAPE : esriFieldTypeGeometry Public Alias: SHAPE Properties: DomainFixed = false

ATTRIBUTES

Editable = true
 GeometryDef = AvgNumPoints=0;
 GeometryType=esriGeometryPolyline;
 GridSize0=16000;

IsNullable = true
 Length = 0
 ModelName = SHAPE
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 SHAPE_Length : esriFieldTypeDouble Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = SHAPE_Length
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 TYPE : esriFieldTypeString Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 100
 ModelName = TYPE
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 URL : esriFieldTypeString Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 100
 ModelName =
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

OCA9530P_PDCANT_PROJETS_LOCALISATIONS

Point

DESCRIPTION : Localisation des projets inscrits au Plan directeur cantonal par type, dénomination et état de coordination

OCA9530P_PDCANT_PROJETS_LOCALISATIONS

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Localisation de projets

ATTRIBUTES

◆ CARTE_SYNT : esriFieldTypeSmallInteger Public

Properties:

DomainFixed = false
Editable = true
GeometryDef =
IsNullable = true
Length = 2
ModelName = CARTE_SYNT
Precision = 0
RasterDef =
Required = false
Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

◆ ETAT_COORDINATION : esriFieldTypeString Public

Properties:

DomainFixed = false
Editable = true
GeometryDef =
IsNullable = true
Length = 100
ModelName =
Precision = 0
RasterDef =
Required = false
Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

◆ FDO_OBJECTID : Public

Properties:

Fields = «RequiredField»OBJECTID
IsAscending = true
IsUnique = true

[Stereotype is «AttributeIndex». Is static False. Containment is .]

◆ FDO_Shape : Public

Properties:

IsAscending = true

ATTRIBUTES	
IsUnique = false	[Stereotype is «SpatialIndex». Is static False. Containment is .]
 NOM : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 100 ModelName = Precision = 0 RasterDef = Required = false Scale = 0	
[Stereotype is «Field». Is static False. Containment is .]	
 OBJECTID : esriFieldTypeOID Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0	
[Stereotype is «RequiredField». Is static False. Containment is .]	
 Shape : esriFieldTypeGeometry Public Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPoint; GridSize0=2547.2791864795377; IsNullable = false Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0	
[Stereotype is «RequiredField». Is static False. Containment is .]	
 TYPE : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true	

ATTRIBUTES	
Length = 100 ModelName = Precision = 0 RasterDef = Required = false Scale = 0	[Stereotype is «Field». Is static False. Containment is .]
 URL : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 100 ModelName = Precision = 0 RasterDef = Required = false Scale = 0	[Stereotype is «Field». Is static False. Containment is .]

OCA9611S_PDCANT_SDA

Polygon

DESCRIPTION : Zones agricoles classées en surfaces d'assolement

OCA9611S_PDCANT_SDA
Version 1.0 Phase
created on 16.03.2017. Last modified 16.03.2017
Alias Surface agricole d'assolement

ATTRIBUTES	
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true	[Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: IsAscending = true IsUnique = false	[Stereotype is «SpatialIndex». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID	

ATTRIBUTES

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = false
 Length = 4
 ModelName = OBJECTID
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 **Shape : esriFieldTypeGeometry** Public
 Alias: Shape

Properties:

DomainFixed = false
 Editable = true
 GeometryDef = AvgNumPoints=0;
 GeometryType=esriGeometryPolygon;
 GridSize0=740;

 IsNullable = true
 Length = 0
 ModelName = Shape
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 **Shape_Area : esriFieldTypeDouble** Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = Shape_Area
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 **Shape_Length : esriFieldTypeDouble** Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = Shape_Length
 Precision = 0
 RasterDef =
 Required = true

ATTRIBUTES
Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]

OCA9612S_PDCANT_ZONES_AFFECTATION

Polygon

DESCRIPTION : Zones d'affectation primaires correspondantes aux zones à bâtir (au sens de l'art. 15 de la loi fédérale sur l'aménagement du territoire), selon la classification cantonale standardisée

OCA9612S_PDCANT_ZONES_AFFECTATION

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Zones à bâtir résidentielles, d'activités et d'intérêt général

ATTRIBUTES
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: IsAscending = true IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 NO_SECT : esriFieldTypeSmallInteger Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 2 ModelName = NO_SECT Precision = 0 RasterDef = Required = false Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID Properties: DomainFixed = false Editable = false GeometryDef =

ATTRIBUTES

IsNullable = false

Length = 4

ModelName = OBJECTID

Precision = 0

RasterDef =

Required = true

Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape : esriFieldTypeGeometry Public
Alias: Shape

Properties:

DomainFixed = false

Editable = true

GeometryDef = AvgNumPoints=0;

GeometryType=esriGeometryPolygon;

GridSize0=300;

IsNullable = true

Length = 0

ModelName = Shape

Precision = 0

RasterDef =

Required = true

Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape_Area : esriFieldTypeDouble Public

Properties:

DomainFixed = false

Editable = false

GeometryDef =

IsNullable = true

Length = 8

ModelName = Shape_Area

Precision = 0

RasterDef =

Required = true

Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape_Length : esriFieldTypeDouble Public

Properties:

DomainFixed = false

Editable = false

GeometryDef =

IsNullable = true

Length = 8

ModelName = Shape_Length

Precision = 0

RasterDef =

Required = true

Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

ATTRIBUTES

 TYPE_CANT : esriFieldTypeString Public

Properties:

DomainFixed = false
Editable = true
GeometryDef =
IsNullable = true
Length = 10
ModelName = TYPE_CANT
Precision = 0
RasterDef =
Required = false
Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 TYPE_COMM : esriFieldTypeString Public

Properties:

DomainFixed = false
Editable = true
GeometryDef =
IsNullable = true
Length = 10
ModelName = TYPE_COMM
Precision = 0
RasterDef =
Required = false
Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 TYPE_FED : esriFieldTypeString Public

Properties:

DomainFixed = false
Editable = true
GeometryDef =
IsNullable = true
Length = 10
ModelName = TYPE_FED
Precision = 0
RasterDef =
Required = false
Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 TYPE_PDCANT : esriFieldTypeString Public

Properties:

DomainFixed = false
Editable = true
GeometryDef =
IsNullable = true
Length = 50
ModelName = TYPE_PDCANT
Precision = 0
RasterDef =
Required = false
Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

ATTRIBUTES

OCA9613S_PDCANT_TU_SECTEURS

*Polygon***DESCRIPTION** : Secteurs d'extension du territoire d'urbanisation

OCA9613S_PDCANT_TU_SECTEURS

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Secteurs d'extension du territoire d'urbanisation

ATTRIBUTES

FDO_OBJECTID : Public

Properties:

Fields = «RequiredField»OBJECTID

IsAscending = true

IsUnique = true

[Stereotype is «AttributeIndex». Is static False. Containment is .]

FDO_Shape : Public

Properties:

IsAscending = true

IsUnique = false

[Stereotype is «SpatialIndex». Is static False. Containment is .]

OBJECTID : esriFieldTypeOID Public

Properties:

DomainFixed = false

Editable = false

GeometryDef =

IsNullable = false

Length = 4

ModelName = OBJECTID

Precision = 0

RasterDef =

Required = true

Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

Shape : esriFieldTypeGeometry Public

Properties:

DomainFixed = false

Editable = true

GeometryDef = AvgNumPoints=0;

GeometryType=esriGeometryPolygon;

GridSize=310;

IsNullable = true

ATTRIBUTES	
Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Area : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Area Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Length : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Length Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]

OCA9614S_PDCANT_PROTECTION_NATURE

Polygon

DESCRIPTION : Secteurs de protection de la nature d'importance nationale, cantonale et régionale

OCA9614S_PDCANT_PROTECTION_NATURE

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Secteurs de protection de la nature d'importance nationale, cantonale et régionale

ATTRIBUTES	
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true	

ATTRIBUTES	
IsUnique = true	[Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: IsAscending = true IsUnique = false	[Stereotype is «SpatialIndex». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Alias: Shape Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPolygon; GridSize0=5600; IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Area : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Area Precision = 0 RasterDef = Required = true Scale = 0	

ATTRIBUTES	
[Stereotype is «RequiredField». Is static False. Containment is .]	
 Shape_Length : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Length Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]

OCA9620L_PDCANT_NAVIGATION

Polyline

DESCRIPTION : Réseau de navigation fluviale et lacustre

OCA9620L_PDCANT_NAVIGATION

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Itinéraires de navigation

ATTRIBUTES	
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true	[Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: IsAscending = true IsUnique = false	[Stereotype is «SpatialIndex». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4	

ATTRIBUTES	
ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Alias: Shape Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPolyline; GridSize0=16000; IsNullabe = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Length : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullabe = true Length = 8 ModelName = Shape_Length Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]

OCA9623L_PDCANT_FERROVIAIRE

Polyline

DESCRIPTION : Réseau ferroviaire

OCA9623L_PDCANT_FERROVIAIRE
Version 1.0 Phase
created on 16.03.2017. Last modified 16.03.2017
Alias Lignes de chemins de fer

ATTRIBUTES	
 FDO_OBJECTID : Public	

ATTRIBUTES
Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: IsAscending = true IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Alias: Shape Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPolyline; GridSize0=19000; IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Length : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Length Precision = 0

ATTRIBUTES
RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]

OCA9631S_PDCANT_EAU_S3

Polygon

DESCRIPTION : Délimitaiton des secteurs S3 de protection des eaux souterraines

OCA9631S_PDCANT_EAU_S3

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Secteurs S3 de protection des eaux souterraines

ATTRIBUTES
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: IsAscending = true IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Alias: Shape Properties: DomainFixed = false

ATTRIBUTES	
Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPolygon; GridSize0=1700; IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Area : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Area Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape_Length : esriFieldTypeDouble Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = true Length = 8 ModelName = Shape_Length Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]

OCA9640P_PDCANT_EAU_S1

Point

DESCRIPTION : Localisation des sites S1 de prélèvement d'eau potable

OCA9640P_PDCANT_EAU_S1

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Secteurs S1 de prélèvement d'eau potable

ATTRIBUTES

ATTRIBUTES
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: IsAscending = true IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Alias: Shape Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPoint; GridSize0=2227.7466473354207; IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]

OCA9641P_PDCANT_GOLF

Point

DESCRIPTION : Localisation des terrains de golf

OCA9641P_PDCANT_GOLF

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Terrains de golf

ATTRIBUTES
 FDO_OBJECTID : Public

Properties:

Fields = «RequiredField»OBJECTID

IsAscending = true

IsUnique = true

[Stereotype is «AttributeIndex». Is static False. Containment is .]

 FDO_Shape : Public

Properties:

IsAscending = true

IsUnique = false

[Stereotype is «SpatialIndex». Is static False. Containment is .]

 LIEU : esriFieldTypeString Public

Properties:

DomainFixed = false

Editable = true

GeometryDef =

IsNullable = true

Length = 50

ModelName = LIEU

Precision = 0

RasterDef =

Required = false

Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 OBJECTID : esriFieldTypeOID Public

Alias: OBJECTID

Properties:

DomainFixed = false

Editable = false

GeometryDef =

IsNullable = false

Length = 4

ModelName = OBJECTID

Precision = 0

RasterDef =

Required = true

Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape : esriFieldTypeGeometry Public

Alias: Shape

ATTRIBUTES
Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryMultipoint; GridSize0=1; IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]

OCA9642P_PDCANT_AIRES_ACCUEIL

Point

DESCRIPTION : Localisation des aires d'accueil pour gens du voyage

OCA9642P_PDCANT_AIRES_ACCUEIL

Version 1.0 Phase

created on 02.05.2017. Last modified 02.05.2017

Alias Aires d'accueil pour les gens du voyage

ATTRIBUTES
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: IsAscending = true IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true

ATTRIBUTES	
Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPoint; GridSize0=11128.932557407921; IsNullable = true Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0	
	[Stereotype is «RequiredField». Is static False. Containment is .]

OCA9643P_PDCANT_GARES_SYNT

Point

DESCRIPTION : Localisation précise des gares ferroviaires destinée à la carte de synthèse

OCA9643P_PDCANT_GARES_SYNT

Version 1.0 Phase

created on 04.05.2017. Last modified 04.05.2017

Alias Arrêts de transports publics ferroviaires

ATTRIBUTES	
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true	[Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_SHAPE : Public Properties: IsAscending = true IsUnique = false	[Stereotype is «SpatialIndex». Is static False. Containment is .]
 Nom : esriFieldTypeString Public Alias: Nom Properties: DomainFixed = false Editable = true	

ATTRIBUTES
GeometryDef = IsNullable = true Length = 50 ModelName = Nom Precision = 0 RasterDef = Required = false Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 SHAPE : esriFieldTypeGeometry Public Alias: SHAPE Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPoint; GridSize0=5513.679571758069; IsNullable = true Length = 0 ModelName = SHAPE Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]

OCA9644P_PDCANT_HYDROELEC_CENTRALES

Point

DESCRIPTION : Centrales hydroélectriques par catégorie de puissance

OCA9644P_PDCANT_HYDROELEC_CENTRALES

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Centrales hydroélectriques

ATTRIBUTES

 FDO_OBJECTID : Public

Properties:

Fields = «RequiredField»OBJECTID

IsAscending = true

IsUnique = true

[Stereotype is «AttributeIndex». Is static False. Containment is .]

 FDO_Shape : Public

Properties:

IsAscending = true

IsUnique = false

[Stereotype is «SpatialIndex». Is static False. Containment is .]

 LIEU : esriFieldTypeString Public

Properties:

DomainFixed = false

Editable = true

GeometryDef =

IsNullable = true

Length = 50

ModelName = LIEU

Precision = 0

RasterDef =

Required = false

Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 OBJECTID : esriFieldTypeOID Public

Properties:

DomainFixed = false

Editable = false

GeometryDef =

IsNullable = false

Length = 4

ModelName = OBJECTID

Precision = 0

RasterDef =

Required = true

Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 PUISSANCE_GWh_a : esriFieldTypeDouble Public

Properties:

DomainFixed = false

Editable = true

GeometryDef =

IsNullable = true

Length = 8

ModelName = PUISSANCE_GWh_a

Precision = 0

RasterDef =

Required = false

ATTRIBUTES	
Scale = 0	[Stereotype is «Field». Is static False. Containment is .]
 PUISSANCE_MW : esriFieldTypeDouble Public Properties: - DomainFixed = false - Editable = true - GeometryDef = - IsNullable = true - Length = 8 - ModelName = PUISSANCE_MW - Precision = 0 - RasterDef = - Required = false - Scale = 0 [Stereotype is «Field». Is static False. Containment is .]	
 Shape : esriFieldTypeGeometry Public Properties: - DomainFixed = false - Editable = true - GeometryDef = AvgNumPoints=0; - GeometryType=esriGeometryPoint; - GridSize0=8623.5364464873128; - IsNullable = true - Length = 0 - ModelName = Shape - Precision = 0 - RasterDef = - Required = true - Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]	

OCA9650S_PDCANT_PROJETS_PERIMETRES_SYNT

Polygon

DESCRIPTION : Synthèse des périmètres de projets inscrits au Plan directeur cantonal

OCA9650S_PDCANT_PROJETS_PERIMETRES_SYNT

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Périmètres de projets (carte de synthèse)

ATTRIBUTES	
 ETAT_COORDINATION : esriFieldTypeString Public Properties: - DomainFixed = false - Editable = true - GeometryDef =	

ATTRIBUTES
IsNullable = true Length = 50 ModelName = ETAT_COORDINATION Precision = 0 RasterDef = Required = false Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]
 FDO_Shape : Public Properties: IsAscending = true IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]
 NOM : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 100 ModelName = NOM Precision = 0 RasterDef = Required = false Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Alias: Shape

ATTRIBUTES

Properties:

DomainFixed = false
 Editable = true
 GeometryDef = AvgNumPoints=0;
 GeometryType=esriGeometryPolygon;
 GridSize0=5400;

IsNullable = true
 Length = 0
 ModelName = Shape
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape_Area : esriFieldTypeDouble Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = Shape_Area
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 Shape_Length : esriFieldTypeDouble Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName = Shape_Length
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]

 TYPE : esriFieldTypeString Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 100
 ModelName = TYPE
 Precision = 0
 RasterDef =
 Required = false

ATTRIBUTES	
Scale = 0	[Stereotype is «Field». Is static False. Containment is .]
 URL : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 100 ModelName = Precision = 0 RasterDef = Required = false Scale = 0 [Stereotype is «Field». Is static False. Containment is .]	

OCA9651L_PDCANT_PROJETS_TRACES_SYNT

Polyline

DESCRIPTION : Synthèse des tracés de projets inscrits au Plan directeur cantonal

OCA9651L_PDCANT_PROJETS_TRACES_SYNT

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Tracés de projets (carte de synthèse)

ATTRIBUTES	
 ETAT_COORDINATION : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 100 ModelName = ETAT_COORDINATION Precision = 0 RasterDef = Required = false Scale = 0 [Stereotype is «Field». Is static False. Containment is .]	
 FDO_OBJECTID : Public Properties: Fields = «RequiredField»OBJECTID IsAscending = true IsUnique = true [Stereotype is «AttributeIndex». Is static False. Containment is .]	

ATTRIBUTES	
 FDO_SHAPE : Public Properties: IsAscending = true IsUnique = false [Stereotype is «SpatialIndex». Is static False. Containment is .]	
 NOM : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 100 ModelName = NOM Precision = 0 RasterDef = Required = false Scale = 0 [Stereotype is «Field». Is static False. Containment is .]	
 OBJECTID : esriFieldTypeOID Public Alias: OBJECTID Properties: DomainFixed = false Editable = false GeometryDef = IsNullable = false Length = 4 ModelName = OBJECTID Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]	
 SHAPE : esriFieldTypeGeometry Public Alias: SHAPE Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPolyline; GridSize0=16000; IsNullable = true Length = 0 ModelName = SHAPE Precision = 0 RasterDef = Required = true Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]	
 SHAPE_Length : esriFieldTypeDouble Public	

ATTRIBUTES
Properties: - DomainFixed = false - Editable = false - GeometryDef = - IsNullable = true - Length = 8 - ModelName = SHAPE_Length - Precision = 0 - RasterDef = - Required = true - Scale = 0 [Stereotype is «RequiredField». Is static False. Containment is .]
 TYPE : esriFieldTypeString Public Properties: - DomainFixed = false - Editable = true - GeometryDef = - IsNullable = true - Length = 100 - ModelName = TYPE - Precision = 0 - RasterDef = - Required = false - Scale = 0 [Stereotype is «Field». Is static False. Containment is .]
 URL : esriFieldTypeString Public Properties: - DomainFixed = false - Editable = true - GeometryDef = - IsNullable = true - Length = 100 - ModelName = - Precision = 0 - RasterDef = - Required = false - Scale = 0 [Stereotype is «Field». Is static False. Containment is .]

OCA9652P_PDCANT_PROJETS_LOCALISATIONS_SYNTH

Point

DESCRIPTION : Synthèse des localisations de projets inscrits au Plan directeur cantonal

OCA9652P_PDCANT_PROJETS_LOCALISATIONS_SYNTH

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Localisation de projets (carte de synthèse)

ATTRIBUTES

ATTRIBUTES

ETAT_COORDINATION : esriFieldTypeString Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 100
 ModelName =
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

FDO_OBJECTID : Public

Properties:

Fields = «RequiredField»OBJECTID
 IsAscending = true
 IsUnique = true

[Stereotype is «AttributeIndex». Is static False. Containment is .]

FDO_Shape : Public

Properties:

IsAscending = true
 IsUnique = false

[Stereotype is «SpatialIndex». Is static False. Containment is .]

NOM : esriFieldTypeString Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 100
 ModelName =
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

OBJECTID : esriFieldTypeOID Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = false
 Length = 4
 ModelName = OBJECTID
 Precision = 0
 RasterDef =
 Required = true

ATTRIBUTES	
Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 Shape : esriFieldTypeGeometry Public Properties: DomainFixed = false Editable = true GeometryDef = AvgNumPoints=0; GeometryType=esriGeometryPoint; GridSize0=2547.2791864795377; IsNullable = false Length = 0 ModelName = Shape Precision = 0 RasterDef = Required = true Scale = 0	[Stereotype is «RequiredField». Is static False. Containment is .]
 TYPE : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 100 ModelName = Precision = 0 RasterDef = Required = false Scale = 0	[Stereotype is «Field». Is static False. Containment is .]
 URL : esriFieldTypeString Public Properties: DomainFixed = false Editable = true GeometryDef = IsNullable = true Length = 100 ModelName = Precision = 0 RasterDef = Required = false Scale = 0	[Stereotype is «Field». Is static False. Containment is .]

OCA9653P_PDCANT_TU_DIRECTIONS

Point

DESCRIPTION : Directions d'extension du territoire d'urbanisation

OCA9653P_PDCANT_TU_DIRECTIONS

Version 1.0 Phase

created on 16.03.2017. Last modified 16.03.2017

Alias Directions d'extension du territoire d'urbanisation

ATTRIBUTES
 Azimut : esriFieldTypeDouble Public

Properties:

DomainFixed = false
 Editable = true
 GeometryDef =
 IsNullable = true
 Length = 8
 ModelName =
 Precision = 0
 RasterDef =
 Required = false
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 FDO_OBJECTID_1 : Public

Properties:

Fields = «Field»OBJECTID_1
 IsAscending = true
 IsUnique = true

[Stereotype is «AttributeIndex». Is static False. Containment is .]

 FDO_Shape : Public

Properties:

IsAscending = true
 IsUnique = false

[Stereotype is «SpatialIndex». Is static False. Containment is .]

 OBJECTID_1 : esriFieldTypeOID Public

Properties:

DomainFixed = false
 Editable = false
 GeometryDef =
 IsNullable = false
 Length = 4
 ModelName = OBJECTID_1
 Precision = 0
 RasterDef =
 Required = true
 Scale = 0

[Stereotype is «Field». Is static False. Containment is .]

 Shape : esriFieldTypeGeometry Public

Properties:

DomainFixed = false

ATTRIBUTES

Editable = true
GeometryDef = AvgNumPoints=0;
GeometryType=esriGeometryPoint;
GridSize0=6670.1006714647165;

IsNullable = true
Length = 0
ModelName = Shape
Precision = 0
RasterDef =
Required = true
Scale = 0

[Stereotype is «RequiredField». Is static False. Containment is .]